

INCREDIBLE AMBIENCE

600x600mm





aboutUS

In an industry where some sellers focus on innovation, the other few choose to concentrate on variety, Commander has adopted a holistic strategy of encompassing all the attributes of the product. Commander epitomizes consumer-first approach with an enduring combination of innovation, unique variety and quality.

Since its inception in 2011, Commander tiles, based at Morbi in Gujarat, is one of the pioneer and dominant manufacturers cum exporters of premium glazed vitrified tiles. Commander has state-of-the-art manufacturing facility with latest technology machinery imported from Italy, Spain and China. At Commander, we believe in providing superior quality and services, further strengthening our relationship with consumers.

In tandem with an increasing demand of vitrified tiles, we have an installed capacity of 55,000 sq.m./day of GVT, PGVT, WALL TILES and Double Charge tiles spread across a humongous 65 acres land. We have collaborated with the largest Italian conglomerate, Sacmi for its press technology and installed System digital printing machine, which helps us yield innovative tiles with stunning designs and excellent quality. We constantly emphasize on new product development catering the dynamic and unique taste of our consumers.

20 Years of experience in ceramic industry

20m

Sq. mtrs. production per year

The structure, technology and the entire setup at Commander is in sync with the contemporary times. Innovation, progress, commitment and perfection are the four fundamental pillars of the company. Core values of the Commander team is a combination of intelligence, skills, knowledge and dedication. The people working at Commander love to invent and reinventwhile exploring new concepts with the help of our state-of-the-art technology and a positive attitude.

The unmatched technical brilliance of our manufacturing units and genuine efforts of the man power has led us to the path of growth and progress. Marching ahead on the bright path of achievement we are bringing a new thought process for the best results. Ideas for the future!












An exceptional Collection

The 600x600mm tiles give a charming look to a space with their compact size and seamless appeal. They offer infinite design possibilities with their incredible and attractive style.











High Strength



Random Designs






<0.08% water absorption



Eco Friendly



Chemical Resistant





Glossy _{Finish}

600x600mm







Maintenance Eco Free Friendly

Chemical Resistant



Prime Statuario Faces : 4



Prime Statuario Fine Faces : 9

Prime Cararra Faces : 4





Glossy Finish

600x600mm







Maintenance Eco Free Friendly

Ð

Chemical Resistant

 (\mathbf{x})



Prime Marvel Beige Faces : 4



Prime Armonia Grey Faces : 6



Prime Pinaquva Pearl Faces : 8



Prime Dyna Classic Pearl Faces : 4



Prime Daino Beige Faces : 4





Glossy Finish

600x600mm








Eco Friendly





Prime 3d 102

Prime 3d 103



Prime 3d 115





Glossy Finish 600x600mm





Prime Alfanjo Beige Book Match









Maintenance n Free

ance Eco e Friendly

Ð

Chemical Resistant

X







- Series Rustic With Glossy Effect Rustic Finish Metal Effect







OF

Rustic Finish With Glossy Effect

600x600mm








Maintenance Eco Free Friendly Chemical Resistant




Prime Ethnic Mix Faces : 1



Prime Mo Giallo Silver Faces : 1



Prime Mo Giallo Azul Faces : 1



Prime Mo Oxo Black Faces : 1



Prime Mo Oxo Hunter Faces : 1





Moroccan Series Rustic With Glossy Effect

600x600mm







Eco Friendly Chemical Resistant

X





Prime Athena Pearl

Prime Turquoise





Moroccan Series Rustic Finish

600x600mm







Chemical Resistant

Eco

Friendly

 (\mathbf{x})





Prime Inspiro Azul



Prime Artsy Cielo



Prime District Strips

Prime Patio

Prime District Circle






Moroccan Series Metal Effect

600x600mm









Eco Friendly

 (\mathbf{x})



Prime Intalio Faces : 2



Prime Palacio



Prime Polo



Prime Marco





Finish - Rustic With Glossy Effect - Rustic







THE SYNERGY OF ELEGANCE AND ALLURE



Rustic Finish With Glossy Effect

600x600mm







Eco Friendly Maintenance Free

Ð


 (\mathbf{x}) Chemical Resistant



Prime Sanvi Stone Crema Faces : 5



Prime Sanvi Stone Brown Faces : 5



Prime Sanvi Stone Bianco Faces : 5



Prime Sanvi Stone Grey Faces : 5





Rustic

600x600mm







Eco Friendly





Prime Canova Ice Faces : 3



Prime Canova Steel Faces : 3



Prime Canova Pearl Faces : 3



Prime Canova Taupe Faces : 3







Rustic Finish

600x600mm








Strength

Eco Friendly





Prime Cementum Beige Faces:4



Prime Cementum Vison Faces : 4



Prime Cementum Bone Faces : 4



Prime Cementum Cotto Faces:4



Prime Cementum Gris Faces: 4



Prime Cementum Nero Faces : 4





Rustic

Finish

600x600mm







Maintenance Eco Free Friendly

Chemical Resistant

X



Prime Cementum Verde Faces : 4



Prime Cementum Azul Faces : 4



Prime Cementum Moka Faces : 4



Prime Cementum Moka Decor





Rustic

600x600mm







Maintenance Free Eco Friendly






Prime Symphony Ivory Faces : 8



Prime Symphony Coffee Faces : 8



Prime Symphony Bianco Faces : 8



Prime Symphony Gris Faces : 8



Prime Symphony Nero Faces : 8





Rustic Finish

600x600mm







Strength

Eco Friendly





Prime Iroko Wood Natural Faces : 3



Prime Iroko Wood Brown Faces : 3



Prime Rhine Wood Cherry Faces : 8











Carving Finish

600x600mm







Eco Friendly





Prime Cararra White Faces : 4



Prime Etna Silver Faces : 4



Prime Etna Sand Faces : 4



Prime Montana Silver Faces : 6





SUGAR

Finish

GVT PG\ COLLECTION 600x600mm



Sugar _{Finish}

600x600mm







Eco Friendly Maintenance Free

X Chemical Resistant



Prime Marvel Beige Faces : 4







Sugar _{Finish}

600x600mm







Strength

Maintenance Eco Free Friendly

Ð

Chemical Resistant



Prime Iroko Wood Natural Faces : 3



Prime Iroko Wood Brown Faces : 3



Prime Nigeria Brown Faces : 4



Prime Nigeria Verde Faces : 4













Prismatic Finish

600x600mm







Strength

Maintenance Eco Free Friendly Chemical Resistant



Prime Mo Cherkoul Natural


Prime Mo Tropanza Rosso



Prime Mo Tropanza Yellow













Metallic Effect

600x600mm









Ð



X










Prime Metal Azul









Radiant

Finish

600x600mm





Strength

Maintenance Free Chemical Resistant

Ð

Eco Friendly X



Prime Contessa Denim Faces : 5



Prime Contessa Denim Decor Faces : 3



Prime Licon Gris Faces : 6



Prime Licon Gris Decor Faces : 3




Prime Licon Verde Faces : 6



Prime Licon Verde Decor Faces : 6













Incrastone Finish

600x600mm





Maintenance Free High

Strength

Eco Friendly

₽

X Chemical Resistant










Prime Graniti Gris Faces : 10



Prime Graniti Bronze Faces : 10



Prime Graniti Green Faces:10



Prime Graniti Nero Faces : 10



Prime Statuario Aquvina Faces : 6





TECHNICAL SPECIFICATION OF GVT/PGVT

CHARACTERISTIC	International Standards Group B1a- ISO 13006 Annx. G.	MEAN VALUE OF COMMANDER	TEST METHOD
Deviation In Length	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 4.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.15%	ISO-10545-2
Surface Quality (%)	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tile	95% Free from Visible Defects	ISO-10545-2
Scratch Hardness of Surface (Moh's scale)	Min. 6	Min. 6	ISO-10545-2
Modulus of Rupture	> 35N/mm³	> 40N/mm ²	ISO-10545-4
Breaking Strength	> 1300 N	> 1500 N	ISO-10545-4
Water Absorption	< 0.50%	< 0.08%	ISO-10545-3
Stain Resistance	Stain Resistant	Stain Resistant	ISO-10545-14
Chemical Resistance	No Damage	No Damage	ISO-10545-13
Thermal Expansion	< 9 x 10 ⁻⁶	< 7 x 10 ⁻⁶	ISO-10545-8
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
Resistance to Surface Abrasion	Manu. to State Abrasion Class	PEI class 3-5	ISO-10545-7
Bulk Density	> 2.00	> 2.20	ISO-10545-3

PACKING DETAIL

Product	Size	Pcs. / Box	Area / Box
	600x600mm	4	1.44 sq. mtr.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.



DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made Ceramic tiles to resemble and look authentically identical to natural materials (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between the tow.

Recognising this situation, it is necessary to be informed on the grade of Design & Pattern variation that is expected form these products. as a general reference the Design & Pattern guide below classifies a scale of ranges according to the degree of the variation.

V1 Uniform Appearance

V2 Slight Variation

The Classification Is As Follow:


V1 Minimal Variation

V3 Random Variation

High Definition Image

While Laying the tiles please follow the arrow Mark on the back of the tiles For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing white any boric/talc powder









COMMANDER VITRIFIED PVT. LTD. 8-A N.H., At. Sartanpar, Ta. Wankaner - 363 621, Dist. Morbi, Gujarat, INDIA

+91 95123 20066 COMMANDERVITRIFIED.COM